

GHS Fingerboard Care Kit

Page 1 of 4 AVATAR CORPORATION		Date:	03/09/2015
Document #:	SDS-1111111-02	Page	1 of 4
Title:	Citation™ White Mineral Oils, NF – Safety Data Sheet CLP		
Document Owner:	JG	Approved by:	J.P. Roush, M.S.

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). In addition, other substances not 'Hazardous' per this OSHA Standard may be listed. Where proprietary ingredient shows, the identity may be made available as provided in this standard.

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product Identifier

Tradename: **Citation™ White Mineral Oils, NF**
Code: 1111111
REACH preregistration No.: 05-2117232125-57-0000

1.2. Identified uses / uses advised against

Identified uses: Excipient grade lubricant, release agent for food, personal care and industrial applications

1.3. Supplier details:

Company/Address: Avatar Corporation, 500 Central Avenue, University Park, IL
60484 USA
Website: www.avatarcorp.com
Email: jproush@avatarcorp.com
Telephone/Fax: 708.534.5511 / 708.534.0123
Responsible Dept: Regulatory

1.4 Transportation emergency contact: Chem Tel 800.255.3924

2. HAZARDS IDENTIFICATION:

2.1. Classification of substance or mixture

Classification according to Regulation (EC) No.1272/2008 [CLP]: Not classified
Classification according to Directive 67/548/EEC or 1999/45/EC: Not classified
Adverse effects: At high temperatures, vapors may be generated which may be considered hazardous at concentrations exceeding 2 mg/m³.

2.2. Label elements: Not applicable

2.3. Other hazards: These substances/mixtures do not meet the PBT/vPvB criteria of REACH, annex XIII. Prolonged/repetitive skin contact may cause skin defatting or dermatitis; ingestion may have laxative effect.

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1. Substance

<u>Component</u>	<u>CAS No.</u>	<u>EC No.</u>	<u>% by Wt.</u>	<u>HS Tariff Classification No.</u>
Mineral Oil, NF	8042-47-5	232-455-8	100	2710.19.45
Tocopherol	59-02-9	200-412-2	≤ 0.001	2936.28.00

4.

FIRST AID MEASURES

4.1. General information:

Eye: Flush immediately with large amounts of water. If irritation occurs, call a physician
Skin: Wash exposed area of skin with water. If burned by contact with hot material, cool material as quickly as possible with water. See a physician for burn treatment, irritation or allergic reaction.
Ingestion: If uncomfortable or symptomatic, seek medical assistance promptly.
Inhalation: If adverse effects occur, remove to uncontaminated area. Get medical attention if symptoms persist.

4.2. Most important symptoms and effects, acute and delayed

Symptoms/injuries: High vapor concentration may induce headache, nausea, dizziness and respiratory irritation. Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed: See 4.1 and 4.2.

GHS Fingerboard Care Kit

Page 2 of 4AVATAR CORPORATION		Date:	03/09/2015
Document #:	SDS-1111111-02	Page	2 of 4
Title:	Citation™ White Mineral Oils, NF – Safety Data Sheet CLP		
Document Owner:	JG	Approved by:	J.P. Roush, M.S.

5. FIRE FIGHTING MEASURES

- 5.1. Extinguishing media: Dry chemical, carbon dioxide, foam, steam or water fog
Unsuitable extinguishing media: Water streams will scatter liquid and spread fire, but may be used to keep fire-exposed containers and surroundings cool.
- 5.2. Special hazards: May create dense smoke during combustion
Fire hazard: Mild fire hazard when heated above its flash point; material must be preheated before ignition will occur (OSHA Class IIIB).
- 5.3. Advise for firefighters: Cool unaffected containers and remove to safety.
Firefighting instruction:
Firefighting protection: Firefighters should wear full bunker gear, including a positive pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment and emergency procedures
Personnel: Wear appropriate breathing apparatus, protective clothing gloves and eye/face protection. No smoking. Refer to section 8.
Emergency procedures: Remove all sources of ignition. Keep away from heat/sparks/open flames/hot surfaces.
- 6.2. Environmental precautions Prevent spills from entering sewers and public waters.
- 6.3. Containment / Cleanup
Containment: Dike around spill; have oil-absorbent materials readily available.
Cleanup: Remove mechanically or contain on an absorbent material such as dry sand or earth and dispose of in accordance with current applicable regulations

7. HANDLING AND STORAGE

- 7.1. Handling No special requirements; observe good industrial hygiene practices.
- 7.2. Storage Do not store in open or unlabeled containers. Store away from strong oxidizing agents or combustible material.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.1. Control parameters
Limits: OSHA PEL – 5 mg/m³ (oil mist) (1989) (1971)
ACGIH TLV-TWA – 5 mg/m³ (oil mist)
ACGIH TLV-STEL – 10 mg/m³ (oil mist)
- 8.2. Exposure controls Control airborne concentrations below the exposure guidelines. Provide local exhaust or general room ventilation to minimize vapor concentrations. Provide emergency eye wash fountains and safety showers.
- Eye:* Wear protective goggles or face shield if splashing is possible.
Skin: Wear protective gloves/clothing
Inhalation: Avoid breathing mist. If ventilation is inadequate, use NIOSH/MSHA certified respirator to protect against mist.
- Environmental controls:* Avoid release to the environment. Notify authorities if product enters sewers or public waters.

GHS Fingerboard Care Kit

Page 3 of 4AVATAR CORPORATION		Date:	03/09/2015
Document #:	SDS-1111111-02	Page	3 of 4
Title:	Citation™ White Mineral Oils, NF – Safety Data Sheet CLP		
Document Owner:	JG	Approved by:	J.P. Roush, M.S.

9. CHEMICAL AND PHYSICAL PROPERTIES

9.1. Basic physical and chemical properties

<i>Appearance / Odor:</i>	Oily liquid / Odorless
<i>pH:</i>	Not determined
<i>Vapor Pressure:</i>	< 1.0 mmHg @ 20°C (68°F)
<i>Vapor Density (Air=1):</i>	>1
<i>Boiling Point:</i>	Not determined
<i>Melting Point:</i>	Not applicable
<i>Solubility:</i>	Negligible in water (below 0.1%); soluble in hydrocarbons
<i>Specific Gravity (Water=1):</i>	0.818 - 0.880 @ 25°C/25°C (77°F)
<i>Pour Point:</i>	Not applicable

10. STABILITY AND REACTIVITY

10.1. Reactivity	Unknown
10.2. Chemical Stability	Generally stable
10.3. Hazardous reactions	Hazardous polymerization will not occur
10.4. Conditions to avoid	Extreme heat; contact with chlorine, fluorine, and other strong oxidizers and acids
10.5. Incompatible materials	Chlorine, fluorine, and other strong oxidizers and acids
10.6. Hazardous decomposition products	Incomplete burning can produce carbon monoxide and/or carbon dioxide.

11. TOXICOLOGICAL INFORMATION

11.1. Toxicity	Data following is based on information from similar products, the ingredients, technical literature, and/or professional experience; Avatar Corporation does not do testing on animals. No component of these products present at levels > 0.1% is identified as a carcinogen by the U.S. National Toxicology Program, U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC).
<i>Dermal (rabbits):</i>	PDIS < 4.0/8.0; LD ₅₀ > 2000 mg/kg
<i>Oral (rats):</i>	LD ₅₀ > 5000 mg/kg
<i>Eye Irritation (rabbits):</i>	PEIS < 10/110.0
<i>Skin Irritation:</i>	Not a skin sensitizer when tested
<i>Carcinogenicity:</i>	EC CLP Note N applies. Full refining history is known and demonstrates non-carcinogenicity.

12. ECOLOGICAL INFORMATION

12.1. Toxicity	When used and handled according to specifications, these products have no harmful effects according to our experience and the information provided to us.
12.2. Persistence / degradability	No data available
12.3. Bioaccumulation potential	No data available
12.4. Mobility in soil	No data available
12.5. PBT / vPvB assessment	These substances/mixtures does not meet the PBT/vPvB criteria of REACH, annex XIII.
12.6. Other adverse effects	No data available

